



Desktop series

Fast, Friendly & Affordable

Why spend thousands on a printer that is going to take up all your desk space when Del Sol provides the performance you need at a fraction of the cost and size? Economical Del Sol printers deliver labels and tags at 3 ips, yet are very easy to use. Standard serial and parallel ports, an internal Ethernet option, and an exclusive label design software package help make everyone a label printing expert.

Smart & Sophisticated

Del Sol printers are the only desktop printers with an available 500 foot label roll or fan-fold option, plus the ability to print on 10 mil tagstock-that's roughly the thickness of a business card! Flash memory permits non-volatile storage of pre-imaged labels, user fonts, and graphics for instant printing. Del Sol's top-of-the line features redefine bar code printing versatility. Available e+Solutions model Del Sol is an Ethernet ready printing solution.







Technical Specifications

Model	DT242003/DD242003	DT422003/DD422003
Print Method	Thermal Transfer/Direct Thermal	Thermal Transfer/Direct Thermal
Width (max)	2.1" 53mm	4.1" 104mm
Length (max)	40" , 1016mm at 203 dpi 160" , 4,064mm at 101 dpi	20" 513mm at 203 dpi 80" 2,032mm at 101 dpi
Speed	76mm/sec	3 ips 76mm/sec
Resolution	Selectable 101 or 203 dpi	Selectable 101, 203 or 300 dpi
Media Width	0.75" - 2.40" 19mm - 61mm	1" - 4.25" 25.4mm - 108mm
Roll Diameter	5.0" standard, user-configurable up to 7.0" 127mm - 203mm (all models)	
Ribbon Length	5500" 140m	5500" 140m
Indexing	3 1	Black bar, notch, and gap
Bar Codes Types	UPC, EAN, EAN128, Code39, Plessey, MSI/MSI1, Code16K, Code128, Codabar, MaxiCode, PDF417, Code93, I 2 of 5, more	
Fonts Bitmapped	7 styles with up to 10 x 10 magnification, variable boldness and spacing (all models)	
AGFA Fonts	Sans-serif font in 7 pt. sizes, up to 4 x 4 magnification, variable boldness and spacing (all models)	
Scalable Smooth Fonts	boldness (all models)	<u> </u>
Rotations		360° in 90° increments
Graphics Features	window (all models)	apped graphics, sizeable graphics
Formats	- /	PCX, BMP
Memory (STD) RAM	512KB	512KB
Non-volatile		
Communications	Serial and parallel standard, internal Ethernet available	
Electrical	100, 115, or 230 VAC, 50/60Hz	100, 115, or 230 VAC, 50/60Hz
Environmental Operating	41°F to 104°F 5°C to 40°C	41°F to 104°F 5°C to 40°C
Storage	-4°F to 122°F -20°C to 50°C 25% to 85% non-condensing RH	-4°F to 122°F -20°C to 50°C 25% to 85% non-condensing RH
Dimensions Height	7" 177.8mm	7" 177.8mm
Width	4.5" 114.3 mm	7″ 177.8mm
Depth	10" 254mm	10" 254mm
Weight	3.1lb 1.41kg	3.5lb 1.59kg
Accessories Standard	Quick Start Guide, power supply, CD including: Windows® drivers, Programmers Guide, label design software	
Optional	2MB and 4MB Flash memory expansion, Ethernet connectivity, Kanji character set, communications cables, annual service contracts, cutter, dispenser, real time clock	
Typical Printhead Life	2,000,000" 50km	2,000,000" 50km

Features and Benefits





Connectivity

Get connected quickly and easily with standard serial and parallel ports. An optional internal Ethernet port adds further flexibility.



Large Roll Capacity

Spend less time swapping media and more time printing labels with Del Sol's massive 7" O.D. user-configurable option. Measuring in at over 6,000 inches long, this is the largest roll in its class!



Serviceability

Quickly replace the printhead and platen without removing the printer from service.

Cognitive

For additional information about Cognitive products, contact the addresses below or visit our web site at www.cognitive.com

USA

691 Corporate Circle Golden, CO 80401 Tel: +1 303 273 1400 Toll free: +1 800 525 2785 Fax: +1 303 273 1414 sales@cognitive.com

Europe

Atlantic Street
Altrincham, Cheshire
WA14 5QJ UK
Tel: +44 161 942 7850
Fax: +44 161 927 7664
europesales@cognitive.com

Asia-Pacific*

DH Technology
PO Box 726
Level 3, 39 Leighton Place
Hornsby NSW 2077 Australia
Tel: +61 2 9477 1999
Fax: +61 2 9477 1453
asiasales@cognitive.com

*Authorized distributor.

Toshima-KU
Tokyo 170 Japan
Tel: +81 35 391 7689
Fax: +81 35 391 7692
japansales@cognitive.com

2-23-2 Higashi-lkebukuro

Japan[°]

CJP

Copyright[®] 2000·02, Cognitive. All rights reserved. Del Sol™ is a trademark of Cognitive. Specifications are subject to change without notification. Windows[®] is a registered trademark of Microsoft Corporation. AGFA[®] is a registered trademark of Miles, Inc.



