

SCANPAL™ EDA10A

Lightweight, high-performance tablet

The Honeywell ScanPal EDA10A tablet is a rugged yet lightweight solution for mobile business users who need fast, reliable mobile data access on a high-resolution, 10-inch screen. Featuring Wi-Fi 6 communications, the EDA10A provides high-speed connectivity indoors for users in retail and field service.



The Honeywell ScanPal EDA10A tablet is a rugged yet lightweight solution for mobile business users who need fast, reliable mobile data access on a 10-inch screen. Featuring Wi-Fi 6, the EDA10A provides high-speed connectivity indoors for users in retail and field service.

EDA10A comes with an extensive line of accessories, and compatibility with a rich assortment of enterprise software. The accessories include desktop charge docks, a display dock that enables creation of a workstation with keyboard and mouse, and a large, hot-swappable battery.

The device comes equipped with Honeywell Device Client Pack (DCP) software, support for optional Honeywell Operational Intelligence asset optimization software, Honeywell Smart Talk unified communications software, and certification with 3rd-party Mobile Device Management (MDM) solutions. Extended service plans providing a 3-year extended warranty, fast depot repair services, battery replacement service and Sentinel service to maintain the Android operating system.

Equipped with a Qualcomm® Snapdragon® Octa-Core® 2.2GHz processor, the EDA10A provides high-performance Wi-Fi 6, NFC and Bluetooth® 5.1 communications. The large 10-inch full-high-definition (FHD) display, ergonomic industrial design and assortment of carrying and handling accessories boost user comfort and experience. The 8,000 mAh battery enables a full shift of uninterrupted work and can be hot-swapped with a fresh battery with ease. A high-performance barcode scan engine that captures data quickly and efficiently.

The EDA10A features a high-performance octa-core processor, Wi-Fi 6 connectivity and a lightweight, yet durable frame, backed up by Honeywell accessories, service and support expected by business users.

FEATURES AND BENEFITS



Powerful hardware platform based on the Qualcomm Snapdragon 4350-AC, octa-core processor, 4 GB/ 64 GB, 8 GB/ 128 GB memory options to handle different workloads.



Rugged and sleek EDA10A is designed to endure frequent drops and vibrations. Gorilla Glass® 5 touchscreen, 1.3 m (4.3 ft) drop per MIL-STD-810H standards, 2 m (6.6 ft) drop with protective boot, and IP65 rating against dust and water.



Embedded with latest Wi-Fi 6 connectivity, the EDA10A increase data throughput and provides a better experience for voice or video communications even in a highly dense connected environment.



Removable 8,000 mAh lithium-ion battery that can last for 12 hours or more of straight use without interruption*. Hot-swap supported.

*Battery life depends on usage and other factors.



Easily scan barcodes, even damaged ones, with the Honeywell enterprise level S0703 imager. Document images with the 16MP auto-focus camera and make video calls with the 8MP front camera.

Honeywell

Retail

Lightweight and thin, the EDA10A is easy for retail workers to carry and use all day to engage and service customers. A high-performance NFC reader supports contactless payment solutions including Honeywell Smart Pay to improve customer engagement and boost sales conversion rates. Honeywell Smart Talk supports a variety of communications modes including Push-to-Talk to promote efficient team coordination and support. Wi-Fi 6 provides reliable, high-performance network communications for rapid retrieval of data, high-resolution product images and training videos.



EDA 10A Lightweight Tablet

Warehouse and Manufacturing

Designed to last, the EDA10A meets the MIL-STD-810H drop specification and uses Gorilla Glass 5 to minimize breakage to the display screen. The rubber boot increases the drop specification up to 6.6 feet on concrete. The device complies with the MIL-STD-810H vibration specification for vehicle mounting applications.

Field Service

With the rapid development of industrialization, tablets are increasingly used in various field service industries. In a relatively complex industrial environment, EDA10A's rugged design and durability can endure harsh environments for uninterrupted operation. The EDA10A's display dock plus unique desktop split-screen display mode enables the device to be used to guide production, which widely exists in automobile manufacturing and medical device production. EDA10A adopts Gorilla Glass 5 and multi-touch screen and supports glove / wet hand / oily hand modes.

ScanPal EDA10A Tablet Technical Specifications

MECHANICAL

Dimensions: 257 mm L x 166.5 mm H x 11.7 mm W (10.12 in x 6.56 in x 0.46 in)

Weight: 674g (1.49lbs)

Display Size: Gorilla Glass 5, 25.7cm (10.1 in)

Resolution: 1920 x 1200 Full High Definition, 550 nit brightness

Backlight: LED

Touchscreen: Multi-touch capacitive (CTP), GFF

Hard Keys: 5 side keys for volume up/down, right/left scanning and power on/off, 1 touch key on bottom side for scanning

ENVIRONMENTAL

Operating Temperature: -20°C to +50°C (-4°F to +122°F)

Storage Temperature: -30°C to +70°C (-22°F to 158°F)

Humidity: 5% to 95% (non-condensing)

Drop: Multiple 1.3 m (4.3 ft) drop to concrete per MIL-STD-810H under room temperature. With optional protective boot, Multiple 2.0 m (6.6 ft) drop to concrete per MIL-STD-810H under room temperature

Vibration: MIL-STD-810H, Method 514.6, Procedure I

Environmental Sealing: IP65

Electrostatic Discharge (ESD): ±8 kV direct; ±15 kV air

SYSTEM ARCHITECTURE

Processor: Qualcomm Snapdragon SM4350-AC, Octa-Core, up to 2.2GHz

Memory: 4 GB RAM/64 GB Flash; 8 GB RAM/128 GB Flash

Operating System: Android 12, and upgradeable to Android 14*

Storage Expansion: MicroSD (standard supports up to 2 TB)

Rear Camera: 16-megapixel color camera

Front Camera: 8-megapixel color camera

PC Interface: USB 3.0 with Type-C interface

Interface Ports: 6 PIN bottom connection

Battery: Li-Ion, 8,000 mAh, 3.85 V, removable, hot swappable

Real-Time Clock (RTC): 5 min back up via super-cap

Charging Time: less than 5.5 hours with wall adapter (10W) and single charging dock in standby mode, 2.5 hours with QC/PD wall adapter

Battery Runtime: more than 12 hours ***

Scan Engine: Honeywell S0703 Slim Imager (1D/2D barcode symbologies)

LED

Battery Status Indicator: red/green/blue

Scan Indication: red/green

Sensors: 3-axes accelerometer, 3-axes gyroscope sensor, compass, light sensor, and proximity sensor

Localization & Language: Worldwide English

WIRELESS CONNECTIVITY

WLAN (Wi-Fi Alliance certified): IEEE 802.11 a/b/g/n/ac/ax

Additional WLAN Features: 802.11 d/e/h/i/k/r/v/w/mc, 2X2 MU-MIMO

WLAN Security: OPEN, WEP, WPA/WPA2 (Personal and Enterprise WPA2), WPA3 (OWE, SAE, Enterprise)

WLAN Supported EAP: TLS, PEAP, TTLS, PWD, LEAP, CCX compliant

Bluetooth: Bluetooth Class 5.1/2.1 + EDR Class 2 (Bluetooth LE)

NFC: Integrated Near Field Communication

ACCESSORIES

Apart from what it is in the box such as EDA10A terminal, battery and USB cable, the following accessories are part of our offering.

Single Charging Dock: Charges one terminal

Display Dock

Quad Bay Battery Charger

Quad Bay Charging Base

Vehicle Dock

Standard Battery Pack

Protective Boot

Rotating Hand Strap

Shoulder Strap

Screen Film

USB Wall Adaptor

Carrying Case

VESA Mount Plate

Stylus (with Tether)

D-Clips

Adapter Cup WARRANTY

One-year factory warranty

For more information about warranty, please visit: <https://sps.honeywell.com/gb/en/support/productivity/warranties>

For a complete listing of all compliance approvals and certifications, please visit www.honeywell.com/PSScompliance

For a complete listing of all supported barcode symbologies, please visit www.honeywell.com/PSS-symbologies

* Android 14 is pending for the confirmation from Qualcomm & Google.

** Find the AER rugged devices, please visit <https://androidenterprisepartners.withgoogle.com/>

*** Battery life depends on usage and other factors.

Android, Bluetooth, Google, Gorilla Glass, Qualcomm, Snapdragon are trademarks or registered trademarks of their respective owners.

For more information

sps.honeywell.com

Honeywell Safety and Productivity Solutions

855 S Mint St

Charlotte, NC 28202

800-582-4263

www.honeywell.com

ScanPal EDA10A Tablet Datasheet
US & C Only LTR | Rev A | 06/23
© 2023 Honeywell International Inc.

Honeywell

SCANPAL™ EDA10A RUGGED TABLET

Accessories Guide



Honeywell

TABLE OF CONTENTS

1 DOCKS AND CHARGERS

Single Charging Dock

Display Dock

Quad Battery Charger

Quad Charging Base

2 POWER AND BATTERY

Power Adapter and Plugs

Battery

3 MISCELLANEOUS

Rotating Hand Strap

Protective Boot

Vesa Mount Plate

Adapter Cup for Docks

D-Clips

Shoulder Strap

Carrying Case

Stylus with Tether

Screen Film



DOCKS AND CHARGERS



EDA10A-SC-R

EDA10A Booted and Non-Booted Single Charging Dock

Single charging dock for EDA10A with or without protective boot, compatible with hand strap. Kit includes: dock, convertible adapter cup (EDA10A-ADC), USB charging cable, 5V 2A power adapter, and plugs for US, UK, AU, EU, IN.




EDA10A-DB-0
EDA10A-DB-1
EDA10A-DB-2
EDA10A-DB-3
EDA10A-DB-5

EDA10A Booted and Non-Booted Display Dock

Display dock for EDA10A with or without protective boot, compatible with hand strap. Kit includes: dock, convertible adapter cup (EDA10A-ADC), power supply and power cord (-0 no power cord, -1 for U.S., -2 for Europe, -3 for UK, and -5 for AU).

Ports: 3x USB-A, 1xHDMI, 1x RJ45 Ethernet.



EDA10A-QBC-1
EDA10A-QBC-2
EDA10A-QBC-3
EDA10A-QBC-5

EDA10A Quad Battery Charging Base*

EDA10A four (4) battery packs (EDA10A-BAT). Kit includes: charging base, power supply and power cord (-1 for U.S., -2 for Europe, -3 for UK, and -5 for AU).



EDA10A-CB-0
EDA10A-CB-1
EDA10A-CB-2
EDA10A-CB-3
EDA10A-CB-5

EDA10A Quad Bay Charging Base*

Quad bay charging base for four (4) EDA10A tablets with or without protective boot, compatible with hand strap. Kit includes: dock, four (4) convertible adapter cup (EDA10A-ADC), power supply and power cord (-0 no power cord, -1 for U.S., -2 for Europe, -3 for UK, and -5 for AU).

POWER AND BATTERY



50136024-001

Power Adapter and Plugs

Kit, 5V/2A Power supply, use with ScanPal EDA10A/51/52/5S/61K/71, Mobility Edge CT40/CT60. Includes 5 plugs packed US, UK, AU, EU, IN adapters.



EDA10A-BAT

Standard Battery Pack

One (1) standard rechargeable battery, 3.85 V, 8000 mAh.

MISCELLANEOUS



EDA10A-HS-1PK

EDA10A Rotating Hand Strap (1/pk)

Kit of one (1) rotating hand strap with five (5) M3 screws.



EDA10A-RB-0

EDA10A Protective Boot

EDA10A protective boot. It is compatible with single charging dock (EDA10A-SC-R), display dock (EDA10A-DB-X), and quad bay charging base (EDA10A-CB-X).



EDA10A-MNT-VS

EDA10A VESA Mount Plate*

75 mm x 75 mm (2.95 in x 2.95 in) VESA mount kit. Includes 10 x M3 round screws.



EDA10A-ADC

EDA10A Adapter Cup

For non-booted EDA10A with single charging dock (EDA10A-SC-R), display dock (EDA10A-DB-X), and quad bay charging base (EDA10A-CB-X). Not compatible with protective boot (EDA10A-RB-0).



EDA10A-SS-1PK

EDA10A Shoulder Strap

Shoulder strap kit including D-clips (EDA10A-DCLIP-1PK). Adjustable cross-body strap with booted tablet or carrying case (EDA10A-CASE).



EDA10A-DCLIP-1PK

EDA10A D-Clips

D-Clips to be used with shoulder strap (EDA10A-SS-1PK) for booted tablet, two (2) piece per pack.



EDA10A-CASE

EDA10A Carrying Case


Carry bag with adjustable shoulder strap (EDA10A-SS-1PK). Separate pocket for accessories.



EDA10A-STL-1PKC

EDA10A Stylus with Tether

EDA10A stylus with tether, one (1) piece per pack. Worked with tablet with and without screen protector (EDA10A-SP-1PK).



EDA10A-SP-1PK

EDA10A Screen Protector

EDA10A screen protector, five (5) piece per pack. Can be used with stylus.

Notes,

*EDA10A VESA mount plate available 2H 2023

*EDA10A quad bay charging base available 2H 2023

*EDA10A quad battery charging base available 2H 2023

For more information

sps.honeywell.com

Honeywell Safety and Productivity Solutions

855 S Mint St
Charlotte, NC 28202
800-582-4263
www.honeywell.com

Scanpal™ EDA10A Accessories Guide | A4 | Rev A | 06/23
© 2023 Honeywell International Inc.


Honeywell

SCANPAL™ EDA10A 10-INCH TABLET

Configuration Guide



HAND STRAP



DISPLAY BASE



QUAD CHARGER



EDA10A 5G Wi-Fi 6

THE
FUTURE
IS
WHAT
WE
MAKE IT

Honeywell

TABLE OF CONTENTS

- 1 **TABLE OF CONTENTS**
- 2 **EDA10A FEATURE OVERVIEW**
S0703 STANDARD RANGE
- 3 **EDA10A CONFIGURATION MAP**
ANDROID
- 4 **HONEYWELL EDGE SERVICES**
GOLD REPAIR SERVICES - 3 YEAR
PLATINUM REPAIR SERVICES - 3 YEAR
EDA10A - REPAIR SERVICES COVERAGE
- 6 **EDA10A SOFTWARE**
DEVICE CLIENT PACK
- 7 **EDA10A PROTECTIVE BOOT**
PROTECTIVE BOOT
- 8 **EDA10A DESKTOP COMMUNICATIONS**
OPTION 1 – PORTABLE
OPTION 2 – FIXED
OPTION 3 - DISPLAY BASE
OPTION 4 - QUAD CHARGER
OPTION 5 - QUAD BATTERY CHARGER
- 11 **EDA10A VESA MOUNT**
STATIONARY MOUNTING
- 12 **EDA10A HEADSET**
EDA10A PUSH TO TALK (PTT) AND VOIP HEADSET
- 13 **MISCELLANEOUS**
OPTIONAL PARTS
MICRO-SD CARDS
AC CORDS




EDA10A FEATURE OVERVIEW

S0703 Standard Range

Included in the box:

- EDA10A Mobile Computer
- Battery (EDA10A-BAT)
- USB Type C cable



6-Pin
USB C

Connector

4G LTE / GPS

Wi-Fi / BT

S0703
Standard
Range

Scanner

EDA10A Android - 5G WWAN 1 x eSIM & 1 x Nano SIM – S0703 – 8GB RAM/ 128GB Flash

EDA10A-11BE94N21RK	EDA10A, 5G WWAN, Black Case, Wi-Fi 6 802.11 a/b/g/n/ac/ax, 2x2 MU-MIMO, BT5.1, 16MP Rear Camera / 8MP Front Camera, S0703 Standard Range, 8GB RAM/128GB Flash, USB Type C Port / eSIM & 1 x Nano SIM slot, NFC, 10.1 inch 1920 × 1200 Full High Definition Display, Android (GMS), 8,000mAh Standard Battery
---------------------------	--

EDA10A Android - Wi-Fi Only – S0703 – 8GB RAM/ 128GB Flash

EDA10A-00BE91N21RK	EDA10A, WLAN, Black Case, Wi-Fi 6 802.11 a/b/g/n/ac/ax, 2x2 MU-MIMO, BT5.1, 16MP Rear Camera / 8MP Front Camera, S0703 Standard Range, 8GB RAM/128GB Flash, USB Type C Port, NFC, 10.1 inch 1920 × 1200 Full High Definition Display, Android (GMS), 8,000mAh Standard Battery
---------------------------	--

Note: Not all tablet combinations are available in every region.
Check your local Price Book to see which part numbers are available for sale.

Honeywell Repair Services

SVCEDA10-SG3N	EDA10A, Edge Service, Gold Maintenance Contract, 3 Year, New Contract
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year



EDA10A CONFIGURATION MAP

Android

											DESCRIPTION	NOTES
RADIO	CAMERA	IMAGER	MEMORY	CONNECTOR	NFC	OPERATING SYSTEM	APPLICATION	REGION	KITTING			
EDA10A-												
00											Black Case - Wi-Fi 6 802.11 a/b/g/n/ac/ax + Bluetooth 5.1, 2x2 MU-MIMO	IEEE 802.11 a/b/g/n/ac/ax/d/e/h/i/k/r/u/w/v ; Wi-Fi certified V5.1 Bluetooth
11											Black Case - 5G, LTE (4G) GPS, UMTS/HSPA+ (3G) GSM/GPRS/EDGE Wi-Fi 6 802.11 a/b/g/n/ac/ax + Bluetooth 5.1, 2x2 MU-MIMO	WWAN RADIO 5G NR SA: 1,2,3,5,7,8,20,25,26,28,38,40,41,66,77,78 5G NR NSA: 41,77,78 TDD-LTE: BANDS 34/38,39,40,41,42,43 FDD-LTE: BANDS 1,2,3,4,5,7,8,12,13,17,19,20,25,26,28,66 UMTS/HSPA+ (3G) – BANDS 1,2,4,5,6,8,19 / GSM/GPRS/EDGE QUAD-BAND (850/900/1800/1900 MHZ)
	B										16MP Rear Camera / 8MP Front Camera	
		0									No Scanner	
		E									1D/2D Imager (S0703SR) – Standard Range	 
			6								4GB RAM, 64GB Flash Memory	Qualcomm Snapdragon SM4350-AC Octa-Core, up to 2.2GHz
			9								8GB RAM, 128GB Flash Memory	Qualcomm Snapdragon SM4350-AC Octa-Core, up to 2.2GHz
				1							6-Pin / USB Type C Port / No SIM	
				4							6-Pin / USB Type C Port / eSIM & 1 x Nano SIM slot	
					N						Near Field Communications (NFC)	
						1					Android (Non-GMS)	
						2					Android (GMS)	Google Mobile Services (GMS) certified – Play Store
							1				Standard Software	Includes 1-Year Device Client Pack Term License
								R			Rest of World	
									K		Kit - Suzhou	



HONEYWELL EDGE SERVICES

EDA10A – Repair Services

Honeywell Edge Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer. For a full description of maintenance services, including terms and conditions, please see <https://sps.honeywell.com/us/en/services/productivity/support-services/maintenance-services>

Gold Repair Services – 3 Year

The most flexible contract in the industry. The Edge Services Gold Support contract allows you to select the right coverage for your organization, including 5-Day Depot Repairs and:

Service Overview

- Repair or replacement of damaged components, wear and tear, and accidental damage.
- Flexibility to add any Add-On Service
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCEDA10-SG3N	EDA10A, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year , New Contract

Add-On Accessory Replacement Service

Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

ADD	SVCACC-MOB3	AddOn, Edge Service, Accessory Service , Mobility, 3 Year . Service covers docks, charger cradles, scan handles
-----	-------------	--

Add-On Battery Replacement Service

Provides replacement batteries every 18 months after purchase.

ADD	SVCBATTERY-MOB3	AddOn, Edge Service, Battery Service, Mobility, 3 Year , 1 Replacement Battery over life of contract
-----	-----------------	---

Add-On Device Replacement Service

Replacement devices should a device be damaged beyond repair.

ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year
-----	-----------------	--

Add-On Image Management Service

Ensures that when a device returns from being repaired, it has all the proper applications loaded back on the device.

ADD	SVCIMAGEMGMT-MOB3	AddOn, Edge Service, Image Service, Mobility, 3 Year
-----	-------------------	---

Add-On Spare Management Service

Manages every aspect of your spare pool.

ADD	SVCSPAREMGMT-MOB3	AddOn, Edge Service, Advanced Exchange, Mobility, 3 Year . Customer owned spare pool, Minimum Purchase required, contact your local Honeywell Service Representative for more information.
-----	-------------------	---

Platinum Repair Services – 3 Year

The Edge Services Platinum Support contract is the only total support contract in the industry today offering 2-Day Depot Repairs or Spare Pool Management with 3-year contract, that includes:

Service Overview

- Repair or replacement of damaged components
- SVCREPLACE-MOB3 - Replacement devices should a device be damaged beyond repair
- SVCACC-MOB3 - Accessory replacement service
- SVCBATTERY-MOB3 - Battery replacement service
- SVCSPAREMGMT-MOB3 - Spare pool management (optional, minimum quantity required)
- Telephone-based technical support
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches


PART NUMBER	DESCRIPTION
SVCEDA10-SP3N	EDA10A, Edge Service, PLATINUM, 2 Day Turnaround, 3 Year, New Contract



HONEYWELL REPAIR SERVICES

EDA10A – Repair Services Coverage

Service options tailored to customer requirements



COVERAGE	PART NUMBER	DESCRIPTION
BASIC	SVCEDA10-EXW3	EDA10A, BASIC, 10-15 Day Turnaround, 3 Years (1 Year Factory Warranty + 2 Year Extended)
GOLD	SVCEDA10-SG3N	EDA10A, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract
ADD	SVCACC-MOB3	AddOn, Edge Service, Accessory Service , Mobility, 3 Year. Service covers docks, charger cradles, scan handles and car adapter
ADD	SVCBATTERY-MOB3	AddOn, Edge Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract
ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year
ADD	SVCIMAGEMGMT-MOB3	AddOn, Edge Service, Image Service, Mobility, 3 Year
ADD	SVCSPAREMGMT-MOB3	AddOn, Edge Service, Advanced Exchange, Mobility, 3 Year. Customer owned spare pool, Minimum Purchase required.
PLATINUM	SVCEDA10-SP3N	EDA10A, Edge Service, PLATINUM, 2 Day Turnaround, 3 Year, New Contract

EDA10A SOFTWARE

Device Client Pack

The Device Client Pack (DCP) includes Launcher, Enterprise Browser, BasicTE, and Mobility Web SDK, these applications are pre-loaded on the device.

All EDA10A units include a 1 Year DCP Termed Pre-License for initial evaluation of the DCP applications (it does NOT include a Perpetual Pre-License), after the 1 Year Term period expires, a Perpetual or Term license is required to be purchased.

There are two licensing options that can be purchased for DCP:

1. Perpetual License

Purchase DCP-001 - Perpetual Licenses operate without expiration for the authorized software version features, and includes 1 year of Maintenance. Add additional Software Maintenance separately.

2. Term + Maintenance License

Purchase DCP-SFT1, DCP-SFT2, DCP-SFT3, DCP-SFT4 or DCP-SFT5 - Term + Maintenance Licenses provide software operation, software new version features, and tech support, all for a defined period.

Device Client Pack



Launcher



Launcher - gives the customer total control over which apps can be run on the device.



BasicTE



BasicTE Android device Terminal Emulation is a simplified alternative for those not yet ready to upgrade to SmartTE.



Enterprise Browser



Enterprise Browser provides corporations the ability to run standard web applications from a controlled environment.

PART NUMBER	DESCRIPTION
DCP-001	Device Client Pack Perpetual License (DCP) includes 1 Year Software Maintenance. License covers Launcher, Enterprise Browser, BasicTE, and Mobility Web SDK. Purchase DCP-SFTx prior to maintenance expiring.
DCP-SFT1	Device Client Pack - 1 Year Term + Maintenance (Launcher, Enterprise Browser & BasicTE)
DCP-SFT2	Device Client Pack - 2 Year Term + Maintenance (Launcher, Enterprise Browser & BasicTE)
DCP-SFT3	Device Client Pack - 3 Year Term + Maintenance (Launcher, Enterprise Browser & BasicTE)
DCP-SFT4	Device Client Pack - 4 Year Term + Maintenance (Launcher, Enterprise Browser & BasicTE)
DCP-SFT5	Device Client Pack - 5 Year Term + Maintenance (Launcher, Enterprise Browser & BasicTE)

EDA10A PROTECTIVE BOOT

Protective Boot

EDA10A with Protective Boot is compatible with any terminal charger EDA10A-SC-R (Single Charge Dock) or EDA10A-DB-x (Display Base) when protective boot is installed.
EDA10A with Protective Boot is compatible with the handstrap and stylus.



PART NUMBER	DESCRIPTION
1 EDA10A-RB-0	EDA10A Protective boot

EDA10A DESKTOP COMMUNICATIONS

Option 1 – Portable


USB Communication to PC/ Mac OR USB C Charging.
Compatible with EDA10A-RB-0 Protective Boot.



	PART NUMBER	DESCRIPTION
1	CBL-500-120-S00-06	USB type A to type C, 1.2 m (3.9 ft)
2	50136024-001	KIT,5V/2A PS,5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters

Option 2 – Fixed

USB C charging.
Compatible with EDA10A-RB-0 Protective Boot by removing the EDA10A-ADC adapter cup.




	PART NUMBER	DESCRIPTION
1	EDA10A-SC-R	EDA10A Single Charging Dock, kit includes: Dock, USB C Cable, 5V 2A power adapter and plugs.

EDA10A DESKTOP COMMUNICATIONS

Option 3 – Display Base

Connect USB peripherals (keyboard, mouse) and External Monitor via HDMI.
Compatible with EDA10A-RB-0 Protective Boot by removing the EDA10A-ADC adapter cup.




PART NUMBER	DESCRIPTION
1	EDA10A-DB-5 Display Dock - Kit includes Display Base, Adapter Cup & Power Supply, Australia Power Cord

EDA10A DESKTOP COMMUNICATIONS

Option 4 – Quad Charger


Chargebase – Quad Dock Charge Only
Compatible with EDA10A-RB-0 Protective Boot by removing the EDA10A-ADC adapter cup.



	PART NUMBER	DESCRIPTION
1	EDA10A-CB-5	EDA10A Charging Base - Kit includes Dock, Power Supply and Australia Power Cord

Option 5 – Quad Battery Charger

Charge up to 4 batteries simultaneously
Supports Batteries: EDA10A-BAT - Battery, Standard, ScanPal EDA10A (8000mAh)





	PART NUMBER	DESCRIPTION
1	EDA10A-QBC-5	Quad Battery Charger - Kit includes Dock, Power Supply and Australia Power Cord
2	EDA10A-BAT	EDA10A Battery (3.8V, 8,00mAh)

EDA10A VESA MOUNT

Stationary Mounting

VESA Mount for permanent mounting of the EDA10A, used in combination with USB C power supply as the plate restricts access to the battery.



	PART NUMBER	DESCRIPTION
1	EDA10A-MNT-VS	75x75mm VESA mount kit. Includes M3 screws

EDA10A HEADSET

EDA10A Push To Talk (PTT) and VoIP Headset

PTT and VoIP ready to support In-Store Communication with leading 3rd party applications.



	PART NUMBER	DESCRIPTION
1	MBL-HDST-USBC	EDA52, EDA56, EDA57 Headset with PTT, USB C

MISCELLANEOUS

Optional Parts



PART NUMBER	DESCRIPTION
EDA10A-CASE	EDA10A carrying case (includes strap)



PART NUMBER	DESCRIPTION
EDA10A-SP-1PK	EDA10A screen film, (5 pack)




PART NUMBER	DESCRIPTION
CBL-500-120-S00-06	USB type A to type C, 1.2 m (3.9 ft)



PART NUMBER	DESCRIPTION
EDA10A-SS-1PK	EDA10A shoulder strap, 1 piece/kit Requires EDA10A-RB-0 protective boot to attach to EDA10A.



PART NUMBER	DESCRIPTION
EDA10A-DCLIP-1PK	EDA10A D-clips, 2 pieces/kit



PART NUMBER	DESCRIPTION
EDA10A-ADC	EDA10A adapter cup, for usage of EDA10A-SC, EDA10A-DB without Protective Boot installed

MISCELLANEOUS

Optional Parts



PART NUMBER	DESCRIPTION
EDA10A-STL-1PKC	Stylus for EDA10A (1 pack) - Requires EDA10A-RB-0 protective boot or EDA10A-HS-1K hand strap to attach to EDA10A.



PART NUMBER	DESCRIPTION
EDA10A-RB-0	EDA10A Protective boot



PART NUMBER	DESCRIPTION
EDA10A-HS-1PK	EDA10A rotating hand strap, 1pcs/kit



PART NUMBER	DESCRIPTION
50136024-001	KIT,5V/2A PS,5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters



PART NUMBER	DESCRIPTION
50121666-001	Power Adapter,12V 3A, No Power Cord, Compatible with EDA10A-DB-x Display Base




PART NUMBER	DESCRIPTION
50121667-001	Power Adapter,12V 7A, No Power Cord, EDA10A-CB-x Quad Chargebase or EDA10A-QBC-x Quad Battery Charger

MISCELLANEOUS

Micro-SD Cards

Honeywell Recommended – ATP Industrial Grade Micro SD Cards



Why ATP Industrial Grade SD?

ATP's SIP (System-In-Packaging) manufacturing process encapsulates all exposed components and points of failure to ensure the products are fully waterproof, shockproof, and ESD (Electro-Static Discharge) proof. ATP Industrial Grade SD/SDHC Cards can withstand at least an operating/storage temperature range of at least -40 to 85 degrees Celsius. In addition to this temperature range, the cards are completely waterproof, dustproof, and ESD (Electro-Static Discharge) proof. All ATP Industrial Grade SD/SDHC cards are produced under a stringent RoHs and Green Package compliant manufacturing process to guarantee a consistent high level of build quality and performance. ATP Industrial SD cards deliver outstanding performance with read speed (seq) up to 18MB/sec and write speed (seq) up to 16MB/sec. All ATP Industrial Grade CF, SD, USB drives, and SSDs are constructed using best-in-class SLC(Single-Level Cell) components with enhanced Error Correction Code(ECC) functions and wear levelling algorithms. This results in MTBF ratings over 2 million hours and the highest write cycle lifetimes in the industry.

	PART NUMBER	DESCRIPTION
1	856-065-004	MICRO-SD CARD, 1GB , AFIGUDI, ROHS
OR	856-065-005	MICRO-SD CARD, 2GB , AFIGUDI, ROHS
OR	856-065-006	MICRO-SD CARD, 4GB , AFIGUDI, ROHS
OR	856-065-007	MICRO-SD CARD, 8GB , AFIGUDI, ROHS

AC Cords

Regional Power Cords



AC Power - C13 Type Connector

PART NUMBER	DESCRIPTION
50117501-001	POWER CORD AUSTRALIA 2500MM,SLED CB
321-501-002	AC Power Cord, Denmark RoHS
77900508E	Cable: power cord, power supply to AC outlet, straight, Power cord, Europe EU, IEC320-C13, 2.5 m (8.2 ft)
321-502-002	AC Power Cord, India/South Africa RoHS
321-500-002	AC Power Cord, Japan RoHS
9000093CABLE	AC POWER CABLE, C14 TYPE, SWITZERLAND 3-PIN
77900507E	Cable: power cord, power supply to AC outlet, straight - Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)
130063	Cable, power cord, power supply to AC outlet, straight (US type B grounded 3 prong, C13), 2.5m (8.2ft)

MISCELLANEOUS

Disclaimer

Honeywell International Inc. (“HII”) reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language with-out prior written consent of HII.

Web Address: www.honeywellaidc.com

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Honeywell.

Thor and Mobility Edge are trademarks or registered trademarks of Honeywell International Inc. in the United States and/or other countries.

Android is a trademark or registered trademark of Google Inc. in the United States and/or other countries. Windows is a trademark or registered trademark of Microsoft Corporation.

Qualcomm and Snapdragon are trademarks or registered trademarks of Qualcomm Incorporated in the United States and/or other countries.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

All rights reserved.

For more information

sps.honeywell.com

Honeywell Safety and Productivity Solutions

855 S Mint St Charlotte, NC 28202
800-582-4263
www.honeywell.com