CUST®M

Very Fast and Quiet

Compact Design



80mm / 82.5mm Paper Width

Large Paper Roll

Robust and Reliable



Kube

CUSTOM introduces on point of sale market the new KUBE, very high speed thermal printer, up to 220mm/sec, quiet and with high performance. KUBE represents a revolutionary printing solution for retail and hospitality market. Reduced dimensions and winning design (many available colours), make KUBE easy to place inside point of sale where space need is priority. KUBE can be vertical or horizontal mounted allowing to optimize working space and making it tidy thanks to hidden link cables. Paper loading is easy and fast thanks to the innovative system patented by CUSTOM.

Moreover the paper roll high capacity, 90mm diameter, allows to increase printing autonomy.

KUBE is able to print on 80mm or 82.5mm paper width.

The printer is completed with drivers (Window and Linux) and utility for logo and character creation and updating. KUBE is available with serial RS232, USB and parallel interface and with cash drawer driver.
KUBE is equipped with buzzer for sound signals, also polyphonics. It is possible to customize different melodies linked to special events (receipt issue, last ticket, etc..)



Configuration example: KUBE printer with KUBE D customer display and KUBE K keyboard.





CUSTOM Kube

USB, Parallel

Options

COSTOM	Rube
Printing method	Thermal line printing
Resolution	203dpi
Printing speed (mm/sec)	High Quality 140 Normal 180 High Speed 220
Character set	PC437, PC850, PC860, PC863, PC865, PC858 (euro)
Type styles	Normal, 1x to 8x height and width, reverse, underscored, italic, bold
Printing direction	Straight, 90°, 180°, 270°
Paper width	80mm / 82.5mm
Roll dimension	max Ø 90mm
Emulation	ESC/POS™
Interface	RS232
Baud rate	From 1.200 bps to 115.200 bps
Data buffer	4 Kb
Flash memory	384 Kb
Graphic memory	2 logos of 608 x 862 dots
Drivers	Win95,98,me,2K,XP,NT4; Linux
Software Tools	Logo Editor, Font Editor
Power consumption	1,5 A
Power supply	$24~\text{Vdc} \pm 10\%$ (external power supply)
DKD function	1 driver
Reliability MTBF	100 Km
Safety	EN60950 +A1+A2+A3+A4
Dimensions (WxDxH)	140x208x152
Weight	2 Kg

Also Available



KIJJE D LCD Customer Display, 40 characters, 20x2 LCD backlight, single or double side display.



KIJBE K Point of sale professional keyboard, 73 keys programmable, 20x2 LCD display backlight, 2 serial interface with pass-through function.





M. U. R. S. T.
Ministry University
Research Scientific
Technology
Authorized laboratory
no.50846ZYZ

CUSTOM ENGINEERING SPA

World Headquarters Via Berettine, 2 - 43010 Fontevivo, Parma ITALY Tel. +39 0521 680111 - Fax +39 0521 610701 info@custom.it - www.custom.it



Branch Offices

CUSTOM ENGINEERING MILAN Via Pavia, 10 - 20053 Muggiò, Milano **ITALY** Tel. +39 039 2144280 - Fax +39 039 2144249 custom.milano@custom.it

CUSTOM ENGINEERING MODENA V.le Virgilio, 56D - 41010 Modena ITALY Tel. +39 059 8869511 - Fax +39 059 8869512 custom.modena@custom.it

CUSTOM ENGINEERING UK LTD 6 Carmelite Road LUTON LU40NH UK Tel. +44(0)1582 605579 - Fax +44(0)1582 478685 uk.sales@custom.it

CUSTOM ENGINEERING USA 625 West University Drive, Unit C Arlington Heights, IL 60004 USA Tel. +1 847 818 1260 - Fax +1 847 818 1287 us.sales@custom.it

