

Accessories for Opticon

EE-xx3 Range ESL



Display Solutions



≡ OPTICON

Table of Contents

EE Range Introduction	2
The Labels	3
The Accessories for EE-xx3 Series	4
The Accessories for EE-420R/750R Series	7
The Accessories for EE-750R	10
The Basestation	12
Notes	13

EE Range Introduction

To create a distinctive business environment Opticon offers both e-paper and colored digital signage solutions. Opticon's wireless Electronic Shelf Label (ESL) system is based on a radio architecture and e-paper label that provides advantages in performance, cost and power consumption.

Our ESLs are suitable for industries such as retail, fashion, catering, mobile shops, jewelry, home appliances, pharmacy, industry, warehouse and room signage. The benefits of digital signage are that information can be presented more easily, prices can be adjusted instantly, and the signs can adapt to the context and audience, even interactively. Opticon's solutions aim to dramatically impact how companies operate their businesses providing a superior platform that can improve profitability and enable new customer-facing applications, promotions and loyalty programs.

Opticon's solution highlights:

- Full centralized control and accuracy
- High flexibility in display content that is user-configurable
- Long-lasting usage
- High speed bi-directional communication
- Integrates with existing (retail) systems

Opticon's third generation traditional e-paper label boasts a high contrast ratio and superior viewing angle. It is bi-stable, which means that the image will remain on the display even after power is disconnected. Depending individual usage, these battery powered ESLs can be used for many years. We offer various sizes, optional colors and various mounting options, all to provide different technologies for different needs in the same store.

The EE-153R, EE-213R and EE-293R can be conveniently mounted using Opticon's rail mounting solution. You can find these rails in the chapter: 'Accessories for EE-xx3 Series'. The EE-420R and EE-750R are used in many different environments. To facilitate the mounting of these labels two groups of mounting accessories are created. The chapter: 'Accessories for EE-420R/750R Series' gives universal mounting options for both the EE-420R and EE-750R. The chapter: 'Accessories for EE-750R Series' gives mounting solutions that are fitted for the use with Opticon's largest ESL label, the EE-750R. Other rails and different mounting options can be produced for the labels depending on request.

You can find all the parts that are required to facilitate the communication part of Opticon's ESL solution in the chapter: 'The basestation'. All the parts combined deliver the full Opticon ESL solution. The Basestation can connect both the EE and PE-Range of ESL's at the same time.



EE-153R

B/W/R

Display: e-paper b/w/r
Battery: 1x CR2450
Radio protocol: IEEE 802.15.4
Number of dots: 152 x 152
Pixel pitch: 140 dpi
Dimensions: 48.4 x 42.2 x 11.5 mm

EE-153R 1.5" Black/Red

14460



EE-213R

B/W/R

Display: e-paper b/w/r
Battery: 2x CR2450
Radio protocol: IEEE 802.15.4
Number of dots: 212 x 104
Pixel pitch: 111 dpi
Dimensions: 69.9 x 34.7 x 11.5 mm

EE-213R 2.1" Black/Red

14471



EE-293R

B/W/R

Display: e-paper b/w
Battery: 2x CR2450
Radio protocol: IEEE 802.15.4
Number of dots: 296 x 128
Pixel pitch: 112 dpi
Dimensions: 92.3 x 42.2 x 11.5 mm

EE-293R 2.9" Black/Red

14462



EE-420R

B/W/R

Display: e-paper b/w/r
Battery: 2x AAA (not incl.)
Radio protocol: IEEE 802.15.4
Number of dots: 400 x 300
Pixel pitch: 120 dpi
Dimensions: 101 x 93 x 16 mm

EE-420R 4.2" Black/Red

14053



EE-750R

B/W/R

Display: e-paper b/w/r
Battery: 4x AAA (not incl.)
Radio protocol: IEEE 802.15.4
Number of dots: 640 x 384
Pixel pitch: 100 dpi
Dimensions: 180 x 126 x 16 mm

EE-750R 7.5" Black/Red

14054



The Accessories for EE-xx3 Series

The EE-153R, EE-213R and EE-293R can be conveniently mounted using Opticon's rail mounting solution. This rail mounting offers three options. The first mounting solution is to use the rail with foam tape. This can be done by sticking rail type 'A' on a clean and grease free surface using the foam tape on the back.

The second mounting solution is a rail in combination with a rail that is suitable for your use. This can be done by mounting rail type 'C' to your preferred surface. Rail type 'B' can be attached to any of the rail types marked with 'C'. Optional accessories 'D' can be used to add functionality to the labels.

The labels can be attached to the rail type 'A' and 'B' by sliding them in from the side or by clicking them in from the frontside of the rail. To do this you must insert the top of the label first, then push down on the bottom of the label. The removal of the labels can be done by sliding them to the end of the rail.


The IMV rail 'E' can be used to directly mount the ESL's to different surfaces. The lip on the top goes over the ESL to provide a more secure mounting option.



Rail for EE-xx3

A


Rail for EE-xx3
Length: 1000mm
Material: PVC
Variant: White (with foamtape)



Rail for EE-xx3

B

Rail for EE-xx3
Length: 1000mm
Material: PVC
Variant: Transparent (no foamtape)



Rail for EE-xx3

B

Front rail for EE-153R, EE-213R and EE-293R
Rear part can be inserted with other combined BS series rails such as BS-R001, BS-R004, BS-R005, BS-R006, BS-LF002, BS-009 and so on

Length: 1000mm
Material: PVC
Color: Transparent

Holder rail xx3 cnz white 1m


14504

Holder rail xx3 cnz transp 1m

14551

Holder rail xx3 fix transp 1m

* 14669



8-10mm shelf DIV

C


Rail for Shelf 8-10mm thick
Rear part for glass, wood and metal incl t-strip for dividers

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail flat 8-10mm DIV 1m

* 14520



16-22mm sh. DIV

C


Rail for Shelf 16-22mm thick
Rear part for glass, wood and metal incl t-strip for dividers

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail flat 16-22mm DIV 1m

* 13910



7-10mm vertical

C

Rail for Shelf 7-10mm thick vertical
Rear part for glass, wood and metal


Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail Vert height 7-10mm

* 13911

Accessories for EE-xx3 Series



Rail 7-10mm Shelf

C


Rail for Shelf 7-10mm thick
Rear part for glass, wood and metal

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail flat 7-10mm 1m

13908



Rail 16-22mm Shelf

C


Rail for Shelf 16-22mm thick
Rear part for glass, wood and metal

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail flat 16-22mm 1m

14505



Rail for hor. Wires

C


Rail for hor. wires shelf system

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail wire/wire 1m

* 13906



Rail for Cefla

C


Rail for Cefla shelf system

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail Cefla 1m

* 13905



Rail for Wanzl

C


Rail for Wanzl shelf system

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail Wanzl 1m

13907



Rail for Tegometall

C


Rail for Linde, Storebest and Tegometall shelf system

Length: 1000mm
Material: PVC
2 angle positions
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail Tegometall 1m

13909



Hermes C-rail

C


Rail for Hermes shelf system

Length: 1000mm
Material: PVC
Color: Transparent

Must be used in combination with 'Rail CNZ for EE-xx3 transp 14551.'

Shelf rail Hermes 1m

* 13913



Rail 20-22mm

C


Rail for 20-22mm Shelves C-Channel/ Loizier/Madix/P25(HMY) /La Fortezza F25 ect.l

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail inheight 20-22mm 1m

* 14744



Rail for Wire/Wire

C

Rail for Wire/Wire basket/Box ect.


Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail wire/wire 1m

* 14745

Accessories for EE-xx3 Series



Rail flat 8-12mm


C

Rail for 8-12mm thickness Flat Shelf

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail flat 8-12mm 1m * 14746



Rail for H Shelves


C

Rail for 26mm H Shelves Double-Wire/Alser/Cefla System 25 /Fa Fortezza etc.

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail H-shelves 26mm 1m * 14747



Rail for H Shelves


C

Rail for 14.5mm H Shelves Double Wire/Wanzl /Alser/Cefla System 25/La Fortezza F25,ect.

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail H-shelves 14.5mm 1m * 14750



Rail for Cefla 25


C

Rail for 22.5-23.5mm Shelf Cefla System 25

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail Cefla 22.5mm 1m * 14749



Rail 15mm in height


C

Rail for inner height 15mm Shelves CChannel/Loizier/Streater/Alser InnovatinV4/Madix/Hermes Metal e Yudigar P25 (HMY)/ La Fortezza F25 ect.

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail inheight 15mm 1m * 14748



Rail for 30mm Shelves


C

Rail for 30mm Shelves Linde/Tegometal/Alser /Cefla System 25/La Fortezza etc.

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail 30mm shelves 1m * 14751



Rail for 16-30mm flat


C

Rail for 16-30mm thick Flat Shelf

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail flat 16-30mm 1m * 14752



Rail for special constr.


C

Rail for 19-20.5mm H special construction shelf

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail H spec 19-20,5mm 1m * 14754



Rail for V shelf

C


Rail for vertical height 30-35mm No-tag Shelving, Works with Darling Flat/Syndicate Shelves

Can be inserted in OPT001 and OPT002

Length: 1000mm
Material: PVC
Color: Transparent

Shelf rail V height 30-35mm 1m * 14755

Accessories for EE-xx3 Series



Bumper for Rail

D

Works with Flat Surface Shelf, to protect ESL from accidental damage by shopping carts

The front bumper rail can be inserted with basic strip rail OPT001 and OPT002


Length: 1000mm

Material: PVC

Color: Transparent

Bumper rail Flat surface shelf

* 14753



Promotion Card Holder

D

Extrusion label holder for promotion. Inserting into the rear socket of rails. Inserted label size: 45mm H


Length: 80mm

Material: PVC

Color: Transparent

Promotion card holder 45mm

* 14764



Promotion Card Holder

D

Shelf talker clip for promotion. Working with the rails with promotion card

Material: PVC

Color: Transparent

Promotion card holder

* 14765



Promotion Card Holder

D

Shelf talker for promotion. Working with rails. Front is with adhesive white foam tape

Material: PVC

Color: Transparent

Promotion card holder tape

* 14766



Angle adjuster for rail

D


Angle adjuster for: Adjusting the angle of the rails at a 25° or 45° angle. To be inserted at the rear socket of the rail holder

Material: PVC

Color: Transparent

Holder rail xx3 angle adjuster

* 14781



IMV Rail Wire 6-7mm

E

Rail for single wire shelf, 6-7 mm diameter


Length: 1000mm

Material: PVC

Color: Transparent

Holder shelf rail wire 6-7mm

14579



IMV Rail Tegometall

E

Rail for Linde, Storebest and Tegometall shelf system


Length: 1000mm

Material: PVC

Color: Transparent

Holder shelf rail Tegometall

14580



IMV Rail Wanzl

E

Rail for Wanzl shelf system


Length: 1000mm

Material: PVC

Color: Transparent

Holder shelf rail Wanzl

14581



IMV Rail Glass 6-8mm

E

Rail for Shelf 6-8mm thick. Rear part for glass, wood and metal

Length: 1000mm


Material: PVC

Color: Transparent

Holder shelf rail glass 6-8mm

14582

Accessories for EE-xx3 Series



Peghook Bracket

Peghook bracket for EE-xx3

Length: 450mm
Material: PVC
Color: Transparent

E



Disassemble tool

ESL Dissemble Accessory for:
Removing ESL label from rail

Material: ABS
Color: Grey

D

Holder bracket xx3 peghook

14587

Disassemble tool for 14669


* 14782

The Accessories for EE-420R/750R Series

The mounting of the EE-420R and EE-750R labels is different compared to the smaller labels. Because these labels are used in different environments a variety of mounting options are available. The 'Meto/HL bracket' (marked with 'II') can be attached to the back of the EE-420R or EE-750R. This bracket allows the mounting of a large variety of fixtures to the back of the EE-420R or EE-750R. These fixtures are marked with 'III' on the following pages.

The 'tape fixture for HL accessories' marked with 'II' can be used for the mounting on products other than the EE-420R and EE-750R. This tape fixture can be used with all the mounting options marked with 'III'. It is equipped with a single cassette connection and foam tape on the rear.

Mounting options consist of different fixtures, hooks, foot's, clamps, clips and sticks. A lot of these mounting options are available in white, black or transparent variants. Different mounting options can be produced for the labels depending on request.



Holder EE-xx3


I

Mounting adapter for EE-153R, EE-213R and EE-293R. Works together with other mounting hardware.

Material: PVC
Color: Transparent

Holder bracket xx3

* 14756



Holder EE-xx3 Tape


I

Mounting adapter with adhesive tape for EE-153R, EE-213R and EE-293R.

Material: PVC
Color: Transparent

Holder bracket xx3 tape

* 14757



Holder EE-xx3 Magn


I

Mounting adapter with magnet for EE-153R, EE-213R and EE-293R.

Material: PVC
Color: Transparent

Holder bracket xx3 magnet

* 14758



Meto/HL bracket

II

Meto/HL bracket for EE-750R and EE-420R with cassette connector for HL accessories

Color: White

Holder bracket EE-420/750

14086



Tape Fixture for acc.

III


Universal Tape fixture with cassette connector for HL accessories

Color: White or black

Fixture white for HL acc.
Fixture black for HL acc.

* 14549
* 14550

Accessories for EE-420R/750R Series




Holder T-Hook 3-6mm III

T hook hanger for:
3-6mm T hook

Includes 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Holder bracket xx3 Thook 3-6mm * 14759




Holder T-Hook 5-9mm III

T hook hanger for:
5-9mm T hook

Includes 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Holder bracket xx3 Thook 5-9mm * 14760




Holder Wire 3-30mm III

Metal wire hanger for:
2 different poles 3mm to 30mm

Includes 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Holder bracket xx3 peghook * 14761




Fixture for Tego III

Fixture for Tego with cassette
connector

Color: White

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount fixture Tego - 14086 14542




Fixture for SlimLine III

Fixture for SlimLine with cassette
connector

Color: White

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount fixture Slimline - 14086 * 14543




Clamp for baskets III

Clamp for baskets with cassette
connector

Color: White

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount basket clamp - 14086 14541




Stand III

Foot with cassette connector

Color: White or black
Width: 49 mm
Length: 50 mm

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount stand long white - 14086 * 14535
Mount stand small black-14086 * 14536




Stand Small III

Foot with cassette connector

Color: White

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount stand small white-14086 14539



Stand Table Small III


Small table top support with hinge on
the back

Does not include 'Holder bracket xx3'
(14756)

Material: PVC
Color: Transparent

Mount stand table front small * 14772

Accessories for EE-420R/750R Series



Stand Table Small


III

Small table top support with hinge in the middle

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount stand table middle small * 14773



Stand Table Long


III

Long Table top support for deli area

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount stand table middle long * 14774



Stand Table Big

III

Big table top support

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount stand table big * 14775



Connector magnetic

III

Magnetic Cassette connector

Color: Transparent and white

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount connector magnetic-14086 * 14530



Clamp transparent


III

Clamp with cassette connector

Width: 27 mm

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount clamp transparent-14086 * 14529



Clamp long transp.


III

Clamp with cassette connector

Color: Transparent

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount clamp pin transp.-14086 * 14540



Clamp Adj. Arm

III

Clip with adjustable arm

Does not include 'Holder bracket xx3' (14756)

Material: ABS
Color: Grey

Mount clip adjustable angle * 14778



Clamp

III

Clamp with cassette connector

Color: White or black

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount clamp white-14086 * 14531
Mount clamp black-14086 * 14532



Telescopic Pole

III

Telescopic pole stand
Adjustable height 280-480mm

Does not include 'Holder bracket xx3' (14756)

Material: PVC & Metal
Color: Transparent & Black

Mount stand 280-480mm * 14767

* Subject to minimum order quantities.

Accessories for EE-420R/750R Series



Telescopic Pole

III

Telescopic pole stand
Adjustable height 150-280mm

Does not include 'Holder bracket xx3' (14756)

Material: PVC & Metal
Color: Transparent & Black

Mount stand 150-280mm * 14768



Telescopic Pole


III

Telescopic pole stand
Adjustable height 450-750mm

Does not include 'Holder bracket xx3' (14756)

Material: PVC & Metal
Color: Transparent & Black

Mount stand double 450-750mm * 14769



L-Hook hanger


III

L hook hanger for:
6-8mm T hook

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Holder bracket xx3 Lhook 6-8mm * 14762



Fixture univ 10-80mm


III

Universal shelf fixture 10-80mm with
cassette connector

Color: White

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount clip hor 10-80mm-14086 14544



Hook for 12mm rail


III

Hook for 12mm rail with cassette
connector

Color: Transparent
Diameter: 12 mm

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount hook for 12mm rail-14086 * 14545



Hook for 16mm rail

III

Hook for 16mm rail with cassette
connector

Color: Transparent
Diameter: 16 mm

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount hook for 16mm rail-14086 * 14546



Stick

III

Stick with cassette connector

Color: White or black
Width: 75 mm
Length: 60 mm

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount stick white-14086 * 14533
Mount stick black-14086 * 14534



Ice stick

III

Ice stick with cassette connector

Color: White or black

Must be used in combination with
'Meto/HL bracket (14086) or fixture for
HL (14549).'

Mount ice pin white-14086 * 14537
Mount ice pin black-14086 * 14538



Ice Pin

III


Ice pin mount for frozen area

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount ice pin * 14777

Accessories for EE-420R/750R Series



Clip -25mm short

III


Short 25mm clip with cassette connector

Color: Transparent

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount pin short-14086

* 14547



Clip -25mm long

III

Long 25mm clip with cassette connector

Color: Transparent

Must be used in combination with 'Meto/HL bracket (14086) or fixture for HL (14549).'

Mount pin long-14086

* 14548



Hanger Rail

III


Promotion hanger for rail mounting

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount hanger for rail

* 14776



Vertical Clip

III


Vertical clip for:
12-20mm basket and wood/glass shelf,

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount clip vertical 12-20mm

* 14771



Horizontal Clip

III


Horizontal clip for:
12-20mm wood/glass shelf,

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Mount clip horizontal 12-20mm

* 14770



L-Hook for Pole

III


L hook hanger for pole:
- 0.149" (3.78mm) - 0.186" (4.72mm)
- 0.212" (5.38mm) - 0.250" (6.35mm)

Does not include 'Holder bracket xx3' (14756)

Material: PVC
Color: Transparent

Holder bracket xx3 Lhook var

* 14763



Waterproof Housing

III

Small size waterproof cover for:
EE-213R and EE-293R

Material: PVC
Color: Transparent

Housing waterproof EE-293

* 14779



Waterproof Housing

III

Large size waterproof cover for:
EE-420R

Material: PVC
Color: Transparent

Housing waterproof EE-420


* 14780

The Accessories for EE-750R

The EE-750R is Opticon's largest ESL label. This large size makes the EE-750R very useful for situations where more attention is required. To facilitate this, custom mounting options are available for the EE-750R. Different mounting options can be produced for the labels depending on request. The 'Wall Bracket' allows the EE-750R to be mounted on a wall. This makes the ESL perfectly suitable as a room signage device or for meeting room reservations.


The 'Holder EE-750R Stand' allows the ESL to be placed on the metal foot (14523) using an adjustable tube (14524). This configuration makes the EE-750R perfectly usable for use cases where there is no fixed shelving system to attach the label, such as fruit and vegetable stands.

The 'Holder EE-750R Hanging' allows for the ESL to be suspended in the air. To facilitate this a variety of parts are available. By combining two 'S-shape hooks', suspension hooks, end caps and overhead profile you can suspend the EE-750R in the air with easy installation. A complete set consists of one 'Holder EE-750 Hanging (14522)', two 'Hook S-shape (14525)', two 'Suspension - EE-750 (14526)', two 'Suspension for overh. Profile (14528)', two 'End Cap for overh. Profile (14625)' and one 'Overhead profile alu 2000mm (14527)'.




Wall Bracket
Bracket for wall mounting the EE-750R
Color: White

Wall Bracket for EE750 14094



Holder EE-750R Stand
Holder EE-750R for Stand
Color: Transparent
Can be used in combination with 'Metal plate stand EE-750R (14523) and Tube 12mm for metal plate (14524).'

Holder EE-750R Stand 14521



Metal plate for EE-750R
Metal plate for stand EE-750
Color: Grey
Width: 160 mm
Length: 200 mm
Material: Platemetal
Can be used in combination with 'Holder EE-750R for Stand (14521) and Tube 12mm for metal plate (14524).'


Metal plate for stand EE-750 14523



Tube 12mm for plate
Tube 12mm for art EE750 stand
Color: Grey
Width: 12 mm
Can be used in combination with 'Holder EE-750R for Stand (14521) and Metal plate stand EE-750R (14523).'

Tube 12mm for metal plate 14524

Accessories for EE-750R Series



Holder EE-750R Hanging


Holder EE-750R for Hanging

Color: Transparent

Can be used in combination with 14525, 14526, 14527, 14528 and 14562.

Holder EE-750R Hanging

14522



S-Hook EE-750R hanging


Hook S-shape to hang EE-750R from overhead profile

Material: Metal

Can be used in combination with 14522, 14526, 14527, 14528 and 14562.

Hook S-shape - EE-750 hanging

14525



Suspension for EE-750R


Suspension part to hang EE-750R from overhead profile

Color: Transparent

Can be used in combination with 14522, 14525, 14527, 14528 and 14562.

Suspension - EE-750 hanging

14526



Overhead profile alu


Aluminium overhead profile for hanging EE-750R

Material: Aluminium
Length: 2000 mm

Can be used in combination with 14522, 14525, 14526, 14528 and 14562.

Overhead profile alu 2000mm

14527



Suspension overh. profile

Suspension bracket for overhead profile

Material: Metal

Can be used in combination with 14522, 14525, 14526, 14527 and 14562.

Suspension for overh. profile

14528



End cap for overh. profile

End Cap for use in combination with overhead profile

Color: Black

Can be used in combination with 14522, 14525, 14526, 14527 and 14528.

End Cap for overh. profile

14562



Small Hanging Display

Small double-side hanging Display Board for EE-750R
Promotion Paper Size: 200 X 75mm
Frame size: 245 (H) X 210 (W) X 37mm

Including PVC sheet inserted with the promotion paper

Material: PVC
Color: Transparent

Housing hanging EE-750 small

* 14783



Large Hanging Display

Large double-side hanging Display Board for EE-750R
Promotion Paper Size: 200 X 134mm
Frame size: 316 (H) X 210 (W) X 37mm

Including PVC sheet inserted with the promotion paper

Material: PVC
Color: Transparent

Housing hanging EE-750 big

* 14784

The Basestation

From small retail to multi-store business, implementation of the Basestation is very simple. All e-paper labels are connected to the same network and content management system, which is connected to the back-office system. One EBS-40 base station can load 2,500 ESLs per station and has a 25-meter indoor radius.

The ESL Server software runs on the Base Station and can be used to provide the ESLs with content. There are different types of solutions that the ESL Server Software will support: CSV-file solution, SQL solution, CSV / SQL hybrid solution, External content management solution and a SQL API. You can download the latest version from www.opticon.com.

Use the EBS Power Supply to provide the Base Station with 6V power. You can use the EBS Ethernet cable to connect the Base Station to your existing network. A demo set of 5 NFC cards with Opticon Print are available. You can program these cards with the NFC Reader.



EBS-40

ESL Basestation

Low power consumption
802.15.4 based protocol
Two Ethernet ports
Easy daisy chaining
2.4 GHz

EBS-40

13665



EBS PowerSupply

Power Supply
Output voltage: 6.0V
Output current: 2.0A

With swappable power plugs:
EU Plug
US Plug
UK Plug

Power Supply 6.0V 2.0A

10991




EBS Ethernet Cable

Ethernet cable to connect the Base Station to an existing network.

Length: 1000 mm
Color: Black

Ethernet Cable 1m Black

12607



ESL Server Software

There are a Several different types of solutions that the ESL Server Software will support:

CSV-file solution
SQL solution
CSV / SQL hybrid solution
External content management solution
SQL API

[illegible]



Contact details headquarters

Opticon Sensors Europe B.V.
Hoofddorp / The Netherlands
Tel: +31 (0)23-5692700 / E-mail: sales@opticon.com

Opto Electronics Co., Ltd
Tokyo / Japan
Tel: +81 (0)48-4461183 / E-mail: sales@opto.co.jp

Opticon Inc.
Renton / United States of America
Tel: +1 425 651-2120 / E-mail: sales@opticonusa.com

Contact details regional offices

Please check our website www.opticon.com for contact details of our regional offices.

Copyright Opticon. All rights reserved. This information is subject to change without prior notice.
For availability contact your local representative.