

Touch Monitor



Robust | Power | Precision

SENIOR

SENOR's Touch Monitors incorporate the All-in-One concept and are designed to be versatile, compact and reliable. The unique and intelligent design makes these suitable for a wide range of applications with multipurpose benefits.

iSMON is an advanced and ventless industrial grade Touch Monitor. Its slim design and high IP rating allow the iSMON to sustain in harsh environments. Robust and versatile with VESA mount capability, the iSMON is suitable for a wide range of industrial application.

iSMON 15" / 17"



- IP 66 – protection against high pressure water jets and dust proof all around
- Aluminum die-cast casing, fanless and ventless mechanism
- Available interface: USB + RS232
- Manual screen angle adjustment base
- VESA Mount Capability
- Two selective displays:

iSMON 15"

15S - Senor 5 wire resistive touch

15G - Safety glass display

iSMON 17"

17S - Senor 5 wire resistive touch

17G - Safety glass display

- No optional peripheral available

iSMON 8"

- IP 66 - protection against high pressure water jets and dust proof all round
- Aluminum die-cast casing, fanless and ventless mechanism
- Use as a second screen display for the iSPOS Series
- Two selective displays:

iSMON 8"

8S – Senor 5 wire resistive touch

8G – Safety glass display

- No base available
- No VESA Mount Capability
- No optional peripherals available

AMON All-in-One Touch Monitor is designed to be versatile, reliable and totally integrated. With its generous flexibility to integrate optional customer display, card readers, scanning devices and VESA mount capability, the AMON is a popular choice as a Point-of-Sale and Point-of-Service touch solution.



AMON 15"


- IP 43 – protection against water spray from all directions and dust resistive
- Available interface: USB + RS232
- Motorised screen angle adjustment base
- VESA Mount Capability
- Optional peripherals available
Magnetic Card Reader / Smart Card Reader /
Fingerprint Reader / VFD Customer Display
- Two selective displays:



AMON 15"

15S – Senor 5 wire resistive touch

15G – Safety glass display



Quality. Safety. Versatility



iSMON 8"



iSMON



AMON

Technical specifications:

Model	iSMON	AMON
Display	8" TFT Display (1024 x 768 / 800 x 600 / 640 x 480)	15" TFT Display (1024 x 768)
	15" TFT Display (1024 x 768)	
	17" TFT Display (1280 x 1024)	
Display Panel	Senor 5 Wire Resistive Touch Panel/ Safety Glass Display	
VESA Mount	iSMON15" / iSMON 17" / AMON 15"	
	75mm x 75mm	
Casing	iSMON	
	Heat dissipating solid aluminium die-cast casing with nanotechnology coating	
Connectivity	iSMON 15"/ iSMON 17"	AMON 15"
	1 x VGA / 1 x USB Touch / RS232 / 2 x Speaker	1 x VGA / 1 x USB Touch / RS232 / 2 x Speaker / 1 Serial Touch
Ingress Protection Standards	iSMON	AMON
	IP 66	IP 43
Dimensions	8" iSMON - 230 (W) x 200 (D) x 34 (H) mm; 1.5kg	
	15" iSMON - 389 (W) x 232 (D) x 363 (H) mm; 7kg	
	17" iSMON - 446 (W) x 246 (D) x 420 (H) mm; 9.5kg	
	15" AMON - 380 (W) x 346 (D) x 205 (H) mm; 6.2kg	
Optional add-ons	iSMON	AMON 15"
	–	Magnetic Card Reader / Smart Card Reader / Fingerprint Reader /VFD Customer Display
Warranty	Standard 2 - Years RTB Warranty, includes parts and labour	
Optional Warranty	Extended Warranty & Onsite Warranty available on request	

Technical specifications are subject to change based on availability.

The Senor Building

65 & 67 Weaver Street
Coopers Plains QLD 4108
Brisbane, Australia

www.senortech.com.au

P: +61 7 3275 5888
F: +61 7 3275 5800
sales@senortech.com.au

