

iSPOS



Robust | Power | Precision



SENIOR

The iSPOS is a mix of Contemporary Design and Great Functionality

PCT



Stay ahead of the competition with Senor's fanless and ventless all-in-one touch system, the iSPOS. Enclosed in a heat dissipating solid aluminium die-cast casing, the iSPOS offers innovation and precision at its finest.

The iSPOS has undergone stringent industrial testing to Ingress Protection standards and awarded a rating of IP66, certifying high protection against liquid and dust particles to provide for durability and sustainability that is unparalleled by others.

Resistive



Built with the user in mind, the iSPOS offers an ergonomic design that is contrived to the natural movement of the human body ensuring compatibility and optimizing comfort level for the user.

The iSPOS provides for enhanced safety features such as concealed mounting hardware and internal cable management, alongside an elegant design giving your point of sale hardware a professional and state of the art finish.

Available in 15" or 17" monitor screen size.





DUAL iSPOS: Dual Results

The Dual iSPOS offers a second display to the iSPOS providing an engaging platform for capturing the attention of the customer with advertising, promotion, and motion video at the point of purchase.

The Dual iSPOS is not only versatile, but it also provides for optimal eye catching exposure to your customers.

Dual Screens, Dual Functionality, Dual Benefits



iSPOS WP: Maximum Impact, Minimal Clutters

Space is no longer an issue with the ultimate all-in-one POS solution, the iSPOS WP. Stylish in construction and packed full of features, the iSPOS WP brings to you all the functions of the iSPOS and add to it an inbuilt thermal printer concealed within a sleek enclosure.

The iSPOS WP offers a polished design with minimal clutters.

A complete solution made uncomplicated.

Providing **Superior** User Safety and Peace of Mind.



Various mounting options for versatility and convenience



Quality. Safety. Versatility

Technical specifications:

Model no.		iSPOS 900	iSPOS X75N
Display	LCD Display Size Max. Resolution Brightness Support	15" TFT LED 1024x768 pixels 250cd/m ²	
Touch Panel		Resistive Touch or Projected Capacitive Touch	
Processor	CPU/Chipset	Intel Quad Core Celeron J1900 2GHz	Intel Dual Core i7 1.7GHz turbo boost up to 2.8GHz
Memory		4GB DDR3 RAM	4GB DDR3 RAM, upto maximum of 8GB RAM
Storage		2.5" Removable SATA HDD/ SSD	
Casing		Heat dissipating solid aluminium die-cast casing with nanotechnology coating	
I/O Connectors	USB 2.0 PS/2 COM Cash Drawer Port VGA or Parallel	4x (1x Front, 3x Back) 1x 2x DB9 1x RJ-11 1x	
	Speaker inbuilt	2x	
Network	LAN	1x (RJ 45, 10/100/1000 Mbps)	
Operating System		Windows POSReady 2009/ POSReady 7/ 7 Pro/ 8.1 Pro/ 8.1 Industry Pro/ LINUX	
Ingress Protection Standard		IP66 Water & Dust Resistant for entire unit	
Dimensions & Weight		389(W) x 232(D) x 369(H) mm; 8.5kg	
Optional add-ons		VFD/ LCD Second Display/ MSR/ Fingerprint Reader/ RFID Reader/ Wi-Fi/ 3G HSUPA	
Optional Warranty		Extended Warranty & Onsite Warranty available on request	

Technical specifications are subject to change without notice based on availability.

The Senor Building

65 & 67 Weaver Street
Coopers Plains QLD 4108
Brisbane, Australia

www.senortech.com.au

P: +61 7 3275 5888
F: +61 7 3275 5800
sales@senortech.com.au

