

VA2465Sh





















The ViewSonic VA2465Sh is a 24" (23.6" viewable) widescreen monitor with an LED backlight and glossy, thin-bezel design ideal for use in the home or at the office. With Full HD 1920x1080 resolution, 3000:1 static contrast ratio, and SuperClear® VA technology, the VA2465Sh delivers stunning brightness and contrast with amazing screen performance at nearly any viewing angle. ViewSonic's exclusive ViewMode provides intuitive presets to deliver optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods. Paired with versatile input options including HDMI and VGA, the VA2465Sh allows flexible connection to PC systems, laptops and other multimedia devices. A VESA-mountable design offers additional mount flexibility.

07212015






178° VA

SuperClear[®] Image Enhancement Technology with Wide Viewing Angles

SuperClear® Image Enhancement
Technology delivers the best color performance and
extends display viewing angles to 178 degrees both
horizontally and vertically. Experience accurate and vivid
colors with consistent levels of brightness whether looking
at the screen from above, below, the front, or the
side—with no color distortion or decay.



VA2465Sh

Full HD 1080p for Superior Pixel Performance

This monitor features Full HD 1920 x 1080 resolution for unbelievable pixel-by-pixel image performance. You'll experience the most amazing clarity and detail whether it be while working, gaming, or enjoying the latest in multimedia entertainment.





Full HD

ViewMode Settings for Digital Content

With five intuitive scenario presets, ViewSonic's unique ViewMode feature offers best-in-class screen calibration for accurate color rendering and excellent performance. "Game," "Movie," "Web," "Text," and "Mono" presets enhance gamma curve, color temperature, contrast, and brightness to deliver an optimized viewing experience for different screen applications.



ViewSonic Flicker-Free Viewing for Improved Eye Comfort

ViewSonic flicker-free displays deliver more comfortable viewing. Rather than using Pulse Width Modulation that continuously turns the LED backlight on and off, ViewSonic flicker-free displays use DC modulation backlights that maintain a steady stream of direct current power—nearly eliminating screen flickering at all brightness levels by providing a constant LED light source.





Normal

ViewSonic Flicker-Free Technology

07212015





VA2465Sh

Blue Light Filter for More Comfortable Viewing

ViewSonic displays feature a Blue Light Filter setting that allows users to adjust the amount of blue light emitted from the screen, enabling longer viewing times and increased eye comfort for work and multimedia applications. It offers 100 levels of blue light filtering to relax users' eyes and adapt to all your daily digital activities.



The Power of HDMI®

HDMI is the highest, future-proof video standard, guaranteed for true digital picture clarity. The HDMI interface on this monitor allows you to connect to a variety of HD devices including gaming consoles, Blu-ray players, laptop PCs, digital cameras, and many others for the ultimate true high-definition experience.



Better Color Depth with 3000:1 Static Contrast Ratio

An ultra-high static contrast ratio of 3000:1 offers a wider range of grayscale to show deeper, richer colors with more visible details in shadows and highlights. With a ratio 3-times higher than standard panels, this monitor can display vivid and realistic images for photo editing, watching movies, or any multimedia application.





Normal

3000:1 Static Contrast Rati

Mercury-Free LED Backlighting

LED backlighting not only enhances monitor performance, delivers an outstanding color range, and adjusts contrast ratios for remarkably detailed images, but it's also eco-friendly, mercury-free, and uses less energy than conventional monitors.



07212015





VA2465Sh

Eco-mode Conserves More Energy and Cuts Costs

ViewSonic's proprietary Eco-mode energy-saving feature is built into all ViewSonic LED monitors. Eco-mode adjusts brightness and improves visibility, while reducing eye fatigue and prolonging the monitor's lamp life. With Eco-mode, the lifespan of the LED backlighting is also greatly increased.



Dual International Energy Certification

VA2465Sh complies with a current Energy Star 6.0 eligibility criterion which is an international standard for energy-efficient consumer products, originated by EPA (Environmental Protection Agency) in the United States. Meanwhile, this model meets the MEPS (Minimum Energy Performance Standards) with a 6-star, certified by Australia. VA2465Sh is definitely a monitor with great efficiency that meets stringent energy-efficient requirements globally.





VESA-Mountable

The ViewSonic VA2465Sh features a 100 x 100mm VESA-mountable design that allows you to mount the display on a monitor stand or on a wall, depending on your specific needs. You can easily detach the base by unscrewing four screws and then mounting the display on its new stand or wall mount.



Technical Specifications

LCD Type 23.6" Wide Color TFT LCD (Panel Type – VA panel)

Display Area 23.6 inch
Optimum Resolution 1920x1080
Contrast Ratio 3000 :1

Brightness 250 cd/m² (typ)

07212015





	Viewing Angles	178° / 178° (typ) VA2465Sh
	Response Time	5.5ms?G delta?
	Panel Surface	Anti-Glare type, Hardness 3H
	Light Source	40,000 Hrs (Min)
	Colors	16.7M
Video Input	Analog	RGB Analog (75 ohms, 0.7 / 1.0 Vp-p)
	Digital	HDMI
	Frequency	Fh: 24-82KHz; Fv: 50-75Hz
	Sync	Separate Sync
Compatibility	PC	VGA up to 1920x1080 Non Interlaced
	Mac	Power Mac up to 1920x1080
Ergonomics	Tilt	20° ~ -5°
Connector	Analog	VGA x1 (DB-15)
	Digital	HDMI x1
	Audio	Out:Earphone out x1 (3.5mm plug)
	Power	Internal Power Board , 3-pin plug (CEE22) x1
Power	Voltage	AC 100-240V (Universal); 50/60 Hz
	Consumption	22W (typ); Optimize:17W (typ); Conserve:13W (typ)
Operating Conditions	Temperature	32°F to 104°F (0°C to 40°C)
	Humidity	10% to 90% (no condensation)
Dimensions	Physical	563.89mm (width) x 407.19mm (height) x 193.14mm (depth)
Weight	Net	4.1 kg
Regulations		CE, CB, RoHS, Reach, WEEE, TCO 6.0, Erp WHQL Windows 8, Windows 7,
		BSMI, Green Mark, PSB, C-tick, MEPS, Energy Star 6.0, EPEAT Sliver
Wall Mount		VESA® 100x100 mm
Package Contents		LCD Display/ Power Cable /VGA cable/Quick Start Guide

Scan for more information